
DAILY MAGNETOGRAMS FOR 1978 FROM THE AFGL (AIR FORCE GEOPHYSICS LABORATORY) METHORK(U) AIR FORCE GEOPHYSICS LAB HANSCOM AFB HA D J KNECHT 08 JAN 85 AFGL-TR-85-0027 F/G 8/14 AD-A168 759 1/5 UNCLASSIFIED NL





AD-A168 759

AFGL-TR-85-0027 SPECIAL REPORTS, NO. 243

Daily Magnetograms for 1978 From the AFGL Network


DAVID J. KNECHT



8 January 1985



Approved for public release; distribution unlimited







SPACE PHYSICS DIVISION



PROJECT 7601

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFR MA 01731

86 5 29 1 5 3

"This technical report has been reviewed and is approved for publication"

FOR THE COMMANDER

IRVING MICHAPL, Acting Chief Space Plasmas and Fields Branch RITA C. SAGALYN Director Space Physics Division

This document has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.


DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

U	nc	las	sif	ied		
					 _,,,,	

10-	1	11	24	57)
			_		

SECURITY CLASSIFICATION OF THIS PAGE						
	REPORT DOCUME	NTATION PAG	E			
TO REPORT SECURITY CLASSIFICATION Unclassified	16. RESTRICTIVE MARKINGS					
26 SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION/AVAILABILITY OF REPORT					
3. DECLASSIFICATION/DOWNGRADING SCHED		Anaroveo	for public	ralesca		
3. DECLASSIFICATION/DOWNGRADING SCHED	OCE		ution unlin			
4 PERFORMING ORGANIZATION REPORT NUM	BER(S)	5. MONITORING OF	IGANIZATION RE	PORT NUMBER(S)		
SR, No. 243 AFGL-TR-85-0027						
A NAME OF PERFORMING ORGANIZATION	Bb. OFFICE SYMBOL	7a. NAME OF MON!	TORING ORGAN	ZATION		
Air Force Geophysics	(If applicable)					
Laboratory	PHK					
6c. ADDRESS (City, State and ZIP Code) Hanscom AFB		76. ADDRESS (City,	State and ZIP Cod	e)		
Massachusetts 01731						
8. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT	NSTRUMENT ID	ENTIFICATION NU	MBER	
Bc ADDRESS (City, State and ZIP Code)	<u> </u>	10. SOURCE OF FUI	NDING NOS			
		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT	
		/ 62101F	7601	18		
11 TITLE (Include Security Classification) Daily		021017	7001	10	01	
for 1978 From the AFGI. Nets	work	.	<u> </u>		1	
David J. I						
Scientific Interim FROM		14 DATE OF REPORT (Yr. Mo., Day) 15 PAGE COUNT				
Scientific, Interim. FROM	10	1985 January 8 422				
17. COSATI CODES	18 SUBJECT TERMS (C					
FIELD GROUP SUB. GR. 8 14 2	Magnetogram Magnetic fiel					
3 2 11	Network	eld Substorms Geomagnetism Ground measurements				
19. ABSTRACT (Continue on reverse if necessary and identify by block number-						
A stacked plot of 24-h	nour magnetogr	ams from the	AFGL Ma	gnetometer	Network	
is presented for each UT (day of the vear	1978. Each	plot, on a	single page.	contains	
all 21 traces from the flux	gate magnetom	eters of the r	network (th	ree compon	ents at	
seven stations). The data	plotted are 2-r	nin averages	of the 1-m	in edited da	ta	
set that has been provided to the World Data Center. To aid in comparison between days, the magnetograms are plotted with a fixed amplitude scale that preserves						
a resolution of one or two nanoteslas. For the 10 percent of all days that are more						
active, the plots have been	n repeated at a	reduced amp	litude. Th	ese magneto	orame	
serve to assess the genera	al character of	magnetic act	ivity, iden	tify events for	or	
scientific study, and indic the World Data Center.	ate the coverag	e and quality	of the data	i available f	rom	
one world Data Center,						
20 DISTRIBUTION/AVAILABILITY OF ABSTRAC	T	21 ABSTRACT SEC	JRITY CLASSIFI	CATION		
UNCLASSIFIED/UNLIMITED 🚨 SAME AS RPT		Unclassified				
220 NAME OF RESPONSIBLE INDIVIDUAL		22b TELEPHONE NUMBER 22c OFFICE SYMBOL			3 01	
David J. Knecht		(617) 861-2433 PHK				
DD FORM 1473, 83 APR	EDITION OF 1 JAN 73 I					



Preface

This volume of magnetograms from the AFGL Magnetometer Network is the first in what is intended to be a set of six yearly volumes covering the years 1978 through 1983. Descriptive material needed to explain the magnetograms is repeated so each volume can be used independently.

These volumes are dedicated to the memory of Robert W. Crowe, who as a high-school student, carried out much of the computer work that produced the edited data shown in these plots and who lost his life in October 1982 while the work was under way.

Many other persons have also contributed greatly to this effort. The project, which required reading more than 1200 input data tapes, writing more than 4500 edited-data tapes, and making and assembling more than 6500 separate plots for these volumes, was made possible by the dedicated efforts of a group of college and high-school students. Armand Paboojian supervised and personally undertook much of the production of the edited data base. Ric Laperriere, Stephen Morris, Catherine Whittaker, Glenn Ellis, and Ara Topjian also contributed many hours to this work. Fr. John F. Devane, S.J., directed the contractual effort of Boston College under which most of the students worked. Ric Laperriere carried out a large fraction of the production runs that produced the final plots. These generous contributions are gratefully acknowledged.

		Contents
1.	INTRODUCTION	1
2.	DESCRIPTION OF THE NETWORK	2
3.	EDITING OF THE DATA	3
4.	DESCRIPTION OF THE PLOTS	4
5.	METHOD OF PRODUCING THE PLOTS	5
6.	CAUTIONS ABOUT USE OF THE PLOTS	6
7.	BASIC PLOTS AT STANDARD AMPLITUDE	7
8.	SUPPLEMENTARY PLOTS AT REDUCED AMPLITUDE	373
		Illustrations
1.	Map of the AFGL Magnetometer Network	2
	365 Daily Magnetograms at Standard Amplitude	8-372
	42 Daily Magnetograms at Reduced Amplitude	374 -4 18
		Tables
1.	Locations of the Data-Collection Stations	3

Daily Magnetograms for 1978 From the AFGL Network

I. INTRODUCTION

From mid-1976 through 1983, the AFGL Magnetometer Network made continuous measurements of the surface magnetic field at seven stations spanning the contiguous United States. An edited data base has been produced for the period 1979-1983; it consists of three-component measurements of the field at the seven network stations by fluxgate magnetometers sampled once per second. A subset of these data, consisting of 1-min average values in the standard IMS format, is available to the scientific community through the World Data Center.

This report, one of a series of yearly volumes, presents the 1-min subset of data for the year 1978 in the form of stacked daily magnetograms, one day per page. The anticipated uses of these plots include: (1) discovering the overall pattern of magnetic activity across the United States for any day, (2) identifying events for scientific study, and (3) indicating the coverage and quality of the data available from the World Data Center.

For the basic set of 365 daily plots, the question of amplitude scale was resolved in favor of a constant value for all plots to facilitate comparison when scanning over many pages. However, for about 10 percent of all days this choice causes traces to be offscale or confused, so for these days the plot is repeated on a less sensitive scale in a subsequent section of supplemental plots.

⁽Received for publication 7 January 1985)

2. DESCRIPTION OF THE NETWORK

THE PROPERTY OF THE PROPERTY O

The AFGL Magnetometer Network consisted of seven remote instrumented stations at the locations shown in Figure 1 and listed in Table 1. The five northern stations form a line at approximately 55 degrees cgm latitude, while the two southern stations are both at about 40 degrees cgm latitude.




Figure 1. Map of the AFGL Magnetometer Network

The instrumentation at all sites was essentially identical. The instrument which made the measurements presented here is a three-component fluxgate magnetometer built by the University of California at Los Angeles. (Data from a second instrument, an induction-coil magnetometer, is not discussed.) The fluxgate magnetometer has a basic analog (fine-scale) range of -64 to +64 nanoteslas; it is kept onscale by applying to the sensor a precise (coarse-scale) nulling field of an integral multiple of 64 nT to cover the full range of approximately -65,000 to +65,000 nT. The fine-scale output is digitized by an 11-bit analog-to-digital converter, with the least significant bit representing 1/16 nT. The instrument was sampled once per second.

Data from all stations were returned to a data-acquisition station at AFGL via a single dedicated voice-grade circuit made up largely of ordinary phone lines and having a branch to each of the stations. A polling signal sent from the data-acquisition station synchronized all stations to within several milliseconds accuracy by incorporating compensation for propagation delays. Data collected at each station during any 10-sec sampling interval were transmitted in a block at some point during the next interval. A forward-error-correcting scheme was used to eliminate transmission errors. Data were received, compressed, formatted, and archived on magnetic tape by a dedicated minicomputer. Subsequently, several series of edited-data tapes were produced from the archive tapes, using the same minicomputer, as described in the following section.

Table 1. Locations of the Data-Collection Stations

Station Symbol and Name (post office)		Corrected Geomagnetic Coordinates N Lat E Long		Graphic Coordinates N Lat E Long		Government Installation
NEW	Newport WA	55.2	299.6	48.3	117.1	USGS Newport Observatory
RPC	Rapid City SD	54.1	317.3	44.2	103.1	Ellsworth Air Force Base
CDS	Camp Douglas WI	56.3	334.2	44.0	90.3	Volk Field (Natl. Guard Base)
MCL	Mount Clemens MI	55.8	344.8	42.6	82.9	Selfridge Air Natl. Guard Base
SUB	Sudbury MA	55.8	1.9	42, 2	71.3	Army Natick Laboratory Annex
LOC	Lompoe CA	40.2	300.6	34.7	120.6	Vandenberg Air Force Base
TPA	Tampa FL	40.7	344.9	27.8	82.5	MacDill Air Force Base

3. EDITING OF THE DATA

The content of the archive data tapes is the series of successive data transmissions, recorded with minimal processing at the time of reception. These raw tapes are somewhat inconvenient for general use, since they reflect network malfunctions of many kinds, include other scientific and housekeeping data, and use a complex format for economy. An edited version, containing only the fluxgate measurements, was desired, and an automated procedure for processing these tapes was developed.

The editing process was designed to correct for a number of errors likely (and often known) to occur in the data because of various equipment malfunctions. The basis for detecting and assessing the errors was a set of redundancy and consistency checks built into or inherent in the data. The faults corrected (in most cases by

discarding the faulty data) included: (1) magnetometer outputs differing from a nominal quiet-time value by more than 2048 nT, (2) transmissions not confirmed to have come from the correct station, and (3) incorrect time values associated with transmissions. At the same time, the data were organized by time interval, station, and component, with missing data filled with blanks.

It may be noted that the faults addressed in editing are almost exclusively those of the collection and transmission system; the only criterion placed on the magnetometer output was that it be reasonably close to an expected value. One reason for this is that rigorous criteria for assessing the correctness of the magnetometer data are so lacking that an automated procedure is not possible. But another reason is that, for many purposes, the usefulness of the data is only slightly (or not at all) diminished by the most common malfunctions. Therefore, most failures experienced with the magnetometers are still reflected in the edited data. Since the stations were unattended, a number of days often elapsed before a malfunction was corrected, and caution is necessary in using these data. Some specific guidance is provided in Section 6 below.

4. DESCRIPTION OF THE PLOTS

COCCURS TOUGHOUSE PROPERTY FOLIABOUT DOUGHOUSE FOLIABOUT FOLIABOUT

The basic set of plots is presented in Section 7. It includes, for each day of the year, daily magnetograms for all three components of the seven network stations, a total of 21 traces. These are grouped into three panels by component, in the order X, Y, Z from top to bottom of the page, where X is magnetic north, Y is magnetic east, and Z is vertically downward. This alignment was only approximate, and during the early years X and Y were often rotated slightly about Z to keep the Y component slightly positive. To facilitate comparisons between adjacent stations, the traces within each panel are further ordered by plotting the 55-degree stations first, west to east, followed by the two 40-degree stations, west to east.

For the basic set of plots a common fixed amplitude scale was selected for ease in comparing between days. The value 40 nT per major division was chosen because it kept about 90 percent of the plots onscale. A major division is the distance between the dotted baselines for adjacent traces. One minor division represents 10 nT, and a resolution of about one or two nT is preserved in the traces. For active days on which the traces go offscale or become confused by overlap, a supplementary set of plots, using a scale of 160 or 400 nT per major division is presented in Section 8. A small solid triangle following the date on the basic plot in Section 7 indicates that a supplementary plot has been provided.

Each trace is labeled at the left with a three-letter station code. Its absolute calibration is provided by the corresponding value (in nT) of the horizontal dotted

baseline. This value, appearing just below the station code, is the 24-hour mean of the data plotted, rounded to the nearest nanotesla. The station code and baseline value are omitted whenever all data points in a trace are blanks or, very rarely, when a badly malfunctioning trace has been eliminated to avoid obscuring good traces. The presence of the label usually (but not reliably) indicate that the trace is not completely blank.

The time scale covers the 24-hour UT day, with 1-hour and 10-min subdivisions. The edited data base consists of one value per minute (good datum or blank) for each of the 21 traces, but since this sampling rate exceeds the resolution possible on the page, 2-min averages were plotted instead. This results in 720 points per day, and since the full-scale length of the time axis is roughly 144 mm, the point-to-point spacing is about 0.2 mm (0.008 in.).

The date is printed at the lower left corner of each plot, first in the form day-of-month, month, year. It is repeated, in parentheses, in the form year (followed by a period) and day-of-year. As noted above, a solid triangle after the final parenthesis indicates the presence of a supplementary plot in Section 8.

5. METHOD OF PRODUCING THE PLOTS

The plots were generated by the network minicomputer (Varian model V72, vintage 1972) with 7-track tape units to read input data. The automated plot program was written in FORTRAN and incorporated Varian Dataplot software. The output device was a Tektronix type 4014 terminal equipped with a type 4631 hard-copy unit. With this equipment the plot is first drawn by an electron beam on the screen of the CRT (a storage device) and then copied to the hardcopy unit by a second beam which scans the screen; a third beam in the hardcopy unit writes the plot onto a dry-silver heat-developed paper. The three panels for each day of data were produced separately and then trimmed and taped together by hand, using overlapping registration marks for alignment. Since the image on the dry-silver paper deteriorates rapidly, the assembled plots were then copied, with a reduction to 74 percent of original size, on an IBM series III model 20 photocopier. These copies were furnished for the printer to use without further reduction.

The linearity and accuracy afforded by this method is sufficient for most purposes but does not equal that achievable by producing all three panels at once on a good electrostatic plotter and photoreducing the plots in the printshop. Some care may therefore be necessary in attempting precise measurements from these plots.

6. CAUTIONS ABOUT USE OF THE PLOTS

CONTRACTOR OF THE PROPERTY OF

The following brief comment on some common faults in the data may be useful. Examples are given by a reference in parentheses to a plot which exhibits the particular fault described.


Two problems were caused by the plotting equipment: (1) some trace labels are occasionally shifted into the middle of a panel, to the right of their proper location (08 April). This problem was ignored because it was not easy to cure and caused no serious harm. (2) The least significant digit of the baseline value for a trace is occasionally omitted (LOC-X trace, 10 April). Since baseline values are all right-justified, the absence of the final digit can be seen, but the value will be uncertain by 5 nT. Again, the harm caused was not enough to justify the cost of solving it.

As noted earlier, data from malfunctioning magnetometers were not excluded unless they differed greatly from expected values. Usually the integrity of the data can be adequately assessed by comparing any trace with those of adjacent stations and by observing its behavior over an extended interval. Five common malfunctions are these: (1) an instrument which does not change range properly may exhibit sudden positive or negative jumps of 64 nT, the amount of one coarsescale step (CDS-X trace, 12 March). (2) Some failures, such as a data-system bit that fails to turn on or off, cause smaller jumps (note jumps of about 16 nT in the TPA-Y trace, 15-21 March). (3) Some failures cause a trace to exhibit noise which may be large (SUB traces, 09 March) or small (MCL-Z trace, 10 May), (4) Failure of the fine-scale output causes a trace to show no activity except on occasional range-change jump of 64 nT (SUB-Z trace, 26-27 February). (5) Failure of the temperature-compensating circuitry makes the output very dependent on electronics temperature; the trace will then reflect the regular cycles of the thermostatically controlled trailer temperature (CDS-X trace, 22-23 January). (6) Other severe malfunctions can cause wild drifting (TPA-X, 20-21 April), large noise spikes (MCL traces, 13 June), or bursts (TPA-Z, 04 June). All these faults can normally be detected in the context of the stacked plots.


The data for most of January and February 1978 are a special case. Malfunction of the data-reception system during this period was so severe that the normal editing procedure discarded almost all data. Special techniques were therefore employed to salvage as much information as possible, but the resulting data are of very poor quality, as evidenced by the plots.


7. BASIC PLOTS AT STANDARD AMPLITUDE

This section presents one stacked-magnetogram plot for each day of 1978, using the standard amplitude scale of 40 nT per major division.





ASSESSED CONTRACTOR CONTRACTOR







Societies and Anthropy and Anthropy and Anthropy







Contract the property servers













Tana San













2444082 R333333

CONTROL CONTROL RECESSOR 222444













Profession beardones (Statement)












Secretary Secretary


MANAGER SANSTANCE WITHOUTH SANSTAN







A SOUTH BOOKER BOOKERS













CONTRACTOR OF THE PROPERTY OF













the process present making account recounts







THE PROPERTY OF THE PROPERTY O








cases sissess and anderes

























STATEMENT AND THE PROPERTY OF THE PROPERTY OF


















PARABOTA COCCOCO PROPOSAL ROBINSON PA








Considered Statement Southeast









































andreas assesses








sections executes contains appropriate appropriate


ENTERIOR ACCIDENT MODERARY KNEETSTAN






























CONTRACT MANAGES AND CONTRACT MANAGES


PROPERTY ASSESSED AND PROPERTY OF A PROPERTY OF A PARTY OF A PARTY




































10. No. 10.

CONTROL CONTROL














PRODUCES PRODUCE ECONOMIC RESISTANT










































STATE OF THE PARTY OF THE PARTY







KONSTRUM CONSISS RECESSES CORRESPONDING CONTRACTOR RECESSES














termination consisted properties of










































elected personal conserves conserved factories frequency











STREET, STREET,







Section 1


PRINTER CONTINUE PROPERTY SUNASSAN


AND PROGRESS OF TRANSPORTED SOUTHWARE INFORMATION AND THE PARTICULAR A







13550000 VVVVV878













STAR CONSTRUCTION CONTRACTOR CONTRACTOR CONTRACTOR








CANADA CALABATA SANCA



















SAME SERVICES STREET


















Passal Recovered Services Industrial


representation accepted females accepted
























PARAMETER SALVANIA BOURNIA PRINCIPA













TOTAL CONTROL PROPERTY VERSIONS SERVICES UNIVERSION














SECONOMIC RESERVED DESCRIPTION REPORTED REPORTED PROPERTY RECERCISES















personal members of the personal management in the personal in











STATES CONTRACT STANDARD CONTRACTOR















































reasons interest interest interest interest in a content interest in a content in a







1. C. C. C.


S255555 555555





CONTRACTOR CONTRACTOR











































































MANAGES AND AND STREET STREET, STREET STREET, STREET,





ASSESSED BURGERUGE TURNINGS TOWNSONS BURGERUGE BURGERUGE TO














CONTRACT RESPONDED TO A CONTRACT OF THE PROPERTY OF THE PROPER





LASS SESSOR TO THE TOTAL PROPERTY OF THE SESSOR THE SES





PROPERTY AND PROPERTY AND PROPERTY OF THE PARTY OF THE PA































CANADA CANADAS CONTRACAS C















papakage managage caadaaa










THE PROPERTY OF THE PROPERTY O










CONTROL CONTROL (CONTROL)










STATE OF THE STATE





WARRED TO SECOND TO SECOND SECOND

















CARROLL BARRESS CARROLL IN




はないとうと でんたんなど だんたんかん からないない







THE PROPERTY OF THE PROPERTY O





ACCOUNTY SERVICES BEING CONSISSE





CONTRACTOR DESCRIPTION ASSESSMENT CONTRACTOR




































SAMPLE SECTION SECTIONS SECTION SECTION




PROPERTY ASSOCIATION CONTRACTOR












consessor resolution proposes proposes personal la







Transport of the second second second




MANAGER SOCIOLIS




LE PROPERT DE L'ANNE DE L'




CONTRACTOR CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE PROPE




property descents reserved




CONTROL REGERENT CONTROL RESERVER CONTROL





ANGLE SECRETARY TOURS OF THE SECRETARY




variable personne menones









more exected passages form




Sanana Kondonso







CONTROL RESIDENT





AND THE PROPERTY OF THE PROPER







PROPERTY CONTRACTOR RESERVED RECEIVED PROPERTY.







and the second proposed proposed seconds in







processes account to accesses the second







the property of the property of the party of the property of t







CONTRACT SOURCES DEPOSITED DOCUMENT SOURCES






the second second seconds of the second seconds in







continue appearant reserves applicable



Control Manager States Amagent





CONTRACTOR CASCAGO DE CONTRACTOR DE CONTRACT





NASSASSE.

MERCECE SPECIAL












\$2000000 S220000 G2000000







SECULAR DIVINIS





ssess cenedads words is seeded.







recorded photopopy resistably legisles procedure







CARREL GRADIER RECERTOR DONGGERS STREETS TO SECURE








CONTRACTOR CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE PROPE


















Control Contro






1888 1888 1888 18888888 | Barrelland | 18888888 | 188888888 |







despessed sooners besteen noncess assessed by




PANTON COURSE




terrore and the second second second second







PARAMES RESERVE INSPECTOR PROFESSOR SERVICES




the correspond appropriation because account becomes




CONTRACT CONTRACT SSSSSSS SYSTEM







property reseases besterned technology and and the




2,000,000




reserved because seeding







STATEMENT STATEMENT STATEMENT BROADING SCHOOL STATEMENT STATEMENT





APPROACH STRANGE PROBLEM PROBLEM STRANGE




payable cocosts recessed monocon













The production services in the production in the production of the













Program respected than the contract programs and the







CONTRACT STREET, CONTRACTOR (CONTRACT STREET, STREET,












received received proposal supply.







ESPERITOR ESPECIAL INDUSTRIAL INFORMATION ACCOUNT



PROGRAM ASSESSMENT STREETS



MANAGER SECRET RESERVED INDUCTION





8. SUPPLEMENTARY PLOTS AT REDUCED AMPLITUDE

RESERVED CONTRACTOR DESCRIPTION OF PROPERTY.


This section presents a stacked-magnetogram plot for each of the following days of 1978, using an amplitude scale of 160 or 400 nT per major division:


January	04,	05,	06,	29,	30				
February	none								
March	27								
April	04,	05,	10,	11,	12,	14,	20,	24,	30
May	01,	02,	03,	04,	09,	30,	31		
June	02,	03,	04,	05,	29				
July	03,	04.	05,	13,	14				
August	28,	29							
September	08,	27,	28,	29					
October	non	е							
November	12,	25,	26						
December	15								








CONSISSES SERVICES DECISIONS RECESSORS RESERVED RECESSORS


















SECRETARY RESERVED













Consistency Township







13.55









TO THE RESIDENCE OF THE PROPERTY OF THE PROPER





1000 B







acceptable increases business recesses in 1988s









PRICE SECTION TO COORD TO SECTION OF THE PROPERTY OF THE PROPE








CENTRAL MELLINGE MANNEY MANNEY





1999/99/2011 1999/99/99

























CONTRACTOR STATEMENT STATE


















evenues consistes vecesses abiditions



CONTRACTOR DESCRIPTION







えるのでき

4